JUN 1 8 2004

FORM PTO-1449/A and B (Modified INFORMATION DISCLOSURE):

INFORMATION DISCLOSURED:

FILING DATE: April 8, 2004 CONFIRMATION NO.: Not Yet Assigned APPLICANT: Sanghvi et al.

Sheet 1 of 6 GROUP ART UNIT: Not Yet Assigned EXAMINER: Not Yet Assigned

	DOCUMENTS

Examiner's	Cite	U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication or of issue	
Initials	No.	Number	Kind Code	Document	of Cited Document MM-DD-YYYY	
	A1	2001/0018413	Al	Crain, et al.	08-30-2001	
	A2	2002/0028825	A1	Foss, et al.	03-07-2002	
	A3	2001/0033865	A1	Oshlack, et al.	10-25-2001	
	A4	2001/0036476	A1	Oshlack, et al.	11-01-2001	
	A5	2001/0047005	A1	Farrar, et al.	11-29-2001	
	A6	4,176,186		Goldberg, et al.	11-27-1979	
	A7	4,719,215		Goldberg	01-12-1988	
	A8	4,861,781		Goldberg	08-29-1989	
	A9	4,987,136		Kreek, et al.	01-22-1991	
	A10	5,102,887		Goldberg	04-07-1992	
	A11	5,270,328		Cantrell, et al.	12-14-1993	
	A12	5,472,943		Crain, et al.	12-05-1995	
	A13	5,512,578		Crain, et al.	04-30-1996	
	A14	5,767,125		Crain, et al.	06-16-1998	
	A15	5,811,451		Minoia, et al.	09-22-1998	
	A16	5,866,164		Kuczynski, et al.	02-02-1999	
	A17	5,958,452		Oshlack, et al.	09-28-1999	
	A18	5,972,954		Foss, et al.	10-26-1999	
	A19	6,096,756		Crain, et al.	08-01-2000	
	A20	6,194,382	B1	Crain, et al.	02-27-2001	
	A21	6,261,599	B1	Oshlack, et al.	07-17-2001	
	A22	6,274,591	B1	Foss, et al.	08-14-2001	
	A23	6,395,705	B2	Crain, et al.	05-28-2002	
	A24	6,419,959	B1	Walter, et al.	07-16-2002	
	A25	6,451,806	B2	Farrar	09-17-2002	
	A26	6,559,158	Bl	Foss, et al.	05-06-2003	
	A27	6,608,075	B1	Foss, et al.	08-19-2003	
	A28	RE36,547		Crain, et al.	02-01-2000	
	A29	2002/0188005	Al	Farrar, et al.	12-12-2002	

FOREIGN PATENT DOCUMENTS

Examiner's	Cite	Cite Foreign Patent Documer		nent	Name of Patentee or Applicant of Cited Document	Date of Publication of	Translation
Initials	No.	Office/ Country	Number	Kind Code	(not necessary)	Cited Document MM-DD-YYYY	(Y/N)
	B1	AU	610,561		Shelley	08-17-1988	
	B2	CA	1,315,689		The University of Chicago	04-06-1993	
	B3	EP	0278821	Al	Shelly (Abstract)	08-17-1988	
P	<b>NLL REF</b>	ERENCE	S CONSIDER	ED EXCE	PT WHERE LINED THROUGH. /D.J./	09/21/2008)	

FORM PTO	0-1449/A and B (M	lodifie	d)	APPLICATION NO	o.: 10/821,811	ATTY. DOCKET NO.: P0453.70115US01	
INFORMATION DISCLOSURE				FILING DATE:	G DATE: April 8, 2004 CONFIRMATION NO.: Not Y		
STAT	STATEMENT BY APPLICANT			APPLICANT:	APPLICANT: Sanghvi et al.		
Sheet	2	of	6	GROUP ART UNIT	: Not Yet Assigned	EXAMINER: Not Yet Assigned	

	B4	EP	0352361	A1	The Rockefeller University	01-31-1990	
	B5	EP	278,821	A1	Marc Yves Shelly (Derwent Abstract)	08-17-1988	
	B6	EP	306,575	B1	The Univ. of Chicago	03-15-1989	
•	B7	EP	352,361	A1	The Rockefeller University	01-31-1990	
	B8	EP	760,661	B1	Minoia, et al.	12-30-1998	
	B9	JР	2,625,457	B2	Goldberg (Derwent Abstract)	07-02-1997	
	B10	NZ	222,911		The Univ. of Chicago	12-14-1987	
	B11	WO	83/03197	Al	The Rockefeller University	09-29-1983	
	B12	wo	88/05297	A1	Shelly	07-28-1988	
	B13	wo	95/31985	A2	Minoia, et al.	11-30-1995	
	B14	wo	97/33566		Alza Corp.	09-18-1997	
	B15	wo	98/25613		Klinge Pharma GmbH	06-18-1998	Yes
	B16	wo	01/13909	A2	Critical Care Pharm.	03-01-2001	
	B17	wo	01/37785	A2	Adolor Corp.	05-31-2001	
	B18	wo	01/41705	A2	Adolor Corp.	06-14-2001	
	B19	wo	01/42207	A2	Adolor Corp.	06-14-2001	
	B20	wo	01/85257	A2	Pain Therapeutics, Inc	11-15-2001	
	B21	wo	02/060870	A2	Adolor Corp.	08-08-2002	

Examiner's	Cite	OTHER ART NON PATENT LITERATURE DOCUMENTS  Include name of the author (in CAPITAL LETTERS) title of the article (when appropriate), title of the item	Translatio			
Initials	No					
	C1	AKINBAMI et al., Effect of a peripheral and a central acting opioid antagonist on the testicular response to stress in rats. Neuroendocrinology. 1994 Apr;59(4):343-8.				
	C2	AMIN et al., Efficacy of methylnaltrexone versus naloxone for reversal of morphine-induced depression of hypoxic ventilatory response. Anesth Analg. 1994 Apr;78(4):701-5.				
	СЗ	AMIR, Naloxone improves, and morphine exacerbates, experimental shock induced by release of endogenous histamine by compound 48/80. Brain Res. 1984 Apr 9;297(1):187-90.				
	C4	AMIR et al., Endorphins in endotoxin-induced hyperglycemia in mice. Arch Toxicol Suppl. 1983;6:261-5.				
	C5	ARGENTIERI et al., Interaction of the opiate antagonist, naltrexone methyl bromide, with the acetylcholine receptor system of the motor end-plate. Brain Res. 1983 Oct 31;277(2):377-9.				
	C6	BARATTI et al., Brain opioid peptides may participate in the reversal of pentylenetetrazol-induced amnesia. Methods Find Exp Clin Pharmacol. 1990 Sep;12(7):451-6.				
	C7	BEDINGFIELD et al., Methylnaltrexone attenuates taste aversion conditioned by low-dose ethanol. Alcohol. 1998 Jan;15(1):51-4.				
	C8	BIANCHETTI et al., Quaternary derivatives of narcotic antagonists: stereochemical requirements at the chiral nitrogen for in vitro and in vivo activity. Life Sci. 1983;33 Suppl 1:415-8.				
	C9	BIANCHI et al., Quaternary narcotic antagonists' relative ability to prevent antinociception and gastrointestinal transit inhibition in morphine-treated rats as an index of peripheral selectivity. Life Sci. 1982 May 31;30(22):1875-83.				
	C10	BICKEL, Stimulation of colonic motility in dogs and rats by an enkephalin analogue pentapeptide. Life Sci. 1983;33 Suppl 1:469-72.				
	C11	BLANK et al., Central, stereoselective receptors mediate the acute effects of opiate antagonists on luteinizing hormone secretion. Life Sci. 1986 Oct 27;39(17):1493-99.				
	C12	BRIX-CHRISTENSEN et al., Endogenous morphine is produced in response to cardiopulmonary bypass in neonatal pigs. Acta Anaesthesiol Scand. 2000 Nov;44(10):1204-8.				
	C13	BROWN et al., Opiate antagonists: central sites of action in suppressing water intake of the rat. Brain Res. 1981 Sep 28;221(2):432-6.				

FORM PTO	0-1449/A and B (M	lodifie	d)	APPLICATION NO.:	10/821,811	ATTY, DOCKET NO.: P0453.70115US01
	RMATION D			FILING DATE:	April 8, 2004	CONFIRMATION NO.: Not Yet Assigned
STAT	TEMENT BY	APP	LICANT	APPLICANT:	Sanghvi et al.	
Sheet	3	of	6	GROUP ART UNIT:	Not Yet Assigned	EXAMINER: Not Yet Assigned

	C14	BROWN et al., Reversal of morphine-induced catalepsy in the rat by narcotic antagonists and their quaternary derivatives. Neuropharmacology. 1983 Mar;22(3):317-21.	
	- 014	BROWN et al., The use of quaternary narcotic antagonists in opiate research. Neuropharmacology. 1985	
	C15	Mar:24(3):181-91. Review.	
	- 010	CALCAGNETTI et al., Quaternary naltrexone reveals the central mediation of conditional opioid analgesia.	
	C16	Pharmacol Biochem Behav. 1987 Jul;27(3):529-31.	
	- 10.0	CHANG et al., An antiabsorptive basis for precipitated withdrawal diarrhea in morphine-dependent rats. J	
	C17	Pharmacol Exp Ther. 1984 Feb;228(2):364-9.	i
		CULPEPPER-MORGAN et al., Treatment of opioid-induced constipation with oral naloxone: a pilot study. Clin	
	C18	Pharmacol Ther. 1992 Jul;52(1):90-5 (ABSTRACT ONLY).	1
		EISENBERG, Effects of naltrexone on plasma corticosterone in opiate-naive rats: a central action. Life Sci.	
	C19	1984 Mar 19;34(12):1185-91.	
		FERNANDEZ-TOME et al., Interaction between opioid agonists or naloxone and 5-HTP on feeding behavior in	
	C20	food-deprived rats. Pharmacol Biochem Behav. 1988 Feb;29(2):387-92.	.
	-	FOSS, A review of the potential role of methylnaltrexone in opioid bowel dysfunction. Am J Surg. 2001	
	C21	Nov;182(5A Suppl):19S-26S. Review.	
		FOSS et al., 1995 Annual scientific meeting of the American Society of Anesthesiologists. Atlanta, Georgia,	
	C22	October 21-25, 1995. Abstracts. Anesthesiology, 1995 Sep;83(3A Suppl):A361.	
		FOSS et al., Prevention of apomorphine- or cisplatin-induced emesis in the dog by a combination of	
	C23	methylnaltrexone and morphine. Cancer Chemother Pharmacol. 1998;42(4):287-91.	
		FOSS et al., Safety and tolerance of methylnaltrexone in healthy humans: a randomized, placebo-controlled,	
	C24	intravenous, ascending-dose, pharmacokinetic study. J Clin Pharmacol. 1997 Jan;37(1):25-30.	
		FOSS et al., Dose-related antagonism of the emetic effect of morphine by methylnaltrexone in dogs. J Clin	
	C25	Pharmacol, 1993 Aug;33(8):747-51.	i I
		FOSS et al., Effects of methylnaltrexone on morphine-induced cough suppression in guinea pigs. Life Sci.	
	C26	1996;59(15):PL235-8.	
		FOSS et al., Methylnaltrexone reduces morphine-induced postoperative emesis by 30%. Anesth Analg.	
	C27	1994;78:S119.	
		FRANCE et al., Comparison of naltrexone and quaternary naltrexone after systemic and intracerebroventricular	
	C28	administration in pigeons, Neuropharmacology, 1987 Jun;26(6):541-8.	
		FRANCE et al., Intracerebroventricular drug administration in pigeons, Pharmacol Biochem Behav, 1985	
	C29	Nov;23(5):731-6.	
		FRIEDMAN et al., Opioid antagonists in the treatment of opioid-induced constipation and pruritus. Ann	
	C30	Pharmacother. 2001 Jan;35(1):85-91. Review.	
		GMEREK et al., Independent central and peripheral mediation of morphine-induced inhibition of	
	C31	gastrointestinal transit in rats. J Pharmacol Exp Ther. 1986 Jan;236(1):8-13.	
		HEIN et al., Pharmacological analysis of the discriminative stimulus characteristics of ethylketazocine in the	
	C32	rhesus monkey. J Pharmacol Exp Ther. 1981 Jul;218(1):7-15.	
	C33	HOWD et al., Naloxone and intestinal motility. Experientia. 1978 Oct 15;34(10):1310-1.	
		JALOWIEC et al., Suppression of juvenile social behavior requires antagonism of central opioid systems.	
	C34	Pharmacol Biochem Behav. 1989 Jul;33(3):697-700.	
		JANKOVIC et al., Quaternary naltrexone: its immunomodulatory activity and interaction with brain delta and	
	C35	kappa opioid receptors. Immunopharmacology. 1994 Sep-Oct;28(2):105-12.	
		KAUFMAN et al., Role of opiate receptors in the regulation of colonic transit, Gastroenterology, 1988	
	C36	Jun;94(6):1351-6.	
		KIM et al., Assay for methylnaltrexone in rat brain regions and serum by high-performance liquid	
	C37	chromatography with coulometric electrochemical detection. Chromatographia. 1989 Oct;28(7-8):359-63.	
		KINSMAN et al., Effect of naloxone on feedback regulation of small bowel transit by fat. Gastroenterology.	
	C38	1984 Aug;87(2):335-7.	
		KOBLISH et al., Behavioral profile of ADL 8-2698, a novel GI-restricted µ opioid receptor antagonist. Society	
	C39	for Neuroscience Abstracts. 2001;27(2):2407.	
		KOBYLECKI et al., N-Methylnalorphine: definition of N-allyl conformation for antagonism at the opiate	
1	C40	receptor. J Med Chem. 1982 Nov;25(11):1278-80.	
	C41	KOCZKA, et al., Acta Chimica Academica Scien. Hung. (1967) 51(4), 393-02	

FORM PTO-1449/A and B (Modified)	APPLICATION NO.: 10/821,811	ATTY. DOCKET NO.: P0453.70115US01
INFORMATION DISCLOSURE	FILING DATE: April 8, 2004	CONFIRMATION NO.: Not Yet Assigned
STATEMENT BY APPLICANT	APPLICANT: Sanghvi et al.	
Sheet 4 of 6	GROUP ART UNIT: Not Yet Assigned	EXAMINER: Not Yet Assigned

C42 In Entres of Opinate antagonous and uterry quaternary deventwer on heron self-auministration in the nat. Pharmacol Exp. Ther. 1984 May;229(2):841-6.  C43 XOTAKE et al., Variations in demethylation of N-methylinaltrexone in mice, rats, dogs, and humans. Xembiotices. 1989 Nov;19(11):1247-54.  C44 KROMER et al., Endogenous opioids, the enteric nervous system and gut motility. Dig Dis. 1990;8(6):361-73. Review.  C45 RROMER et al., The current status of opioid research on gastrointestinal motility. Life Sci. 1989;44(9):579-89. Review.  C46 LEANDER, A kappa opioid effect: increased urination in the rat. J Pharmacol Exp Ther. 1983 Jan,224(1):89-94.  C47 LITTLE, et al., Society for Neuroscience Abstracts, 27 (2): 2001, p. 2407  C48 LIVINOSTON et al., Postoperative ileus. Dig Dis Sci. 1990 Jan;35(1):121-32. Review.  C49 LYPON et al., ESA Tree Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21:92.  C50 endogenous opioids. Brain Behav Immun. 1922 Jan;(2):179-88.  MAGNAN et al., The binding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunya Schniedebergs Arch Pharmacol. 1982 Jan;39(3):197-205.  C52 MANARA, et al., Adv. Endog. Exog. Opioisk, Poroc. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA, et al., Adv. Endog. Exog. Opioisk, Poroc. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA et al., The certar and peripheral influences of poids on gastrointestinal propulsion. Annu Rev Pharmacol 1982 Jan;42(1):179-32.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MOSEMAN et al., Fusional material and peripheral influences of poids on gastrointestinal propulsion. Annu Rev Pharmacol. 1987 Mar;39(3):225-7.  MOSEMAN et al., Fusional material and peripheral influences of poids on gastrointestinal propulsion. Annu Rev Pharmacol. 1987 Mar;39(3):225-7.  MOSEMAN et al., Fusional material and peripheral influences of poids on gastrointestinal propulsion. Annu Rev Pharmacol. 1982 Jan			KOOB et al., Effects of opiate antagonists and their quaternary derivatives on heroin self-administration in the	
C44 Review.  KROMER et al., Endogenous opioids, the enteric nervous system and gut motility. Dig Dis. 1990;8(6):361-73.  Review.  KROMER et al., The current status of opioid research on gastrointestinal motility. Life Sci. 1989;44(9):579-89.  Review.  C46 LEANDER. A kappa opioid effect: increased urination in the rat. J Pharmacol Exp Ther. 1983 Jan;224(1):89-94.  C47 LITTLE, et al., Society for Neuroscience Abstracts, 72 (2): 2001, p. 2407.  C48 LIVINGSTON et al., Postoperative iteus. Dig Dis Sci. 1990 Jan;35(1):121-32. Review.  C49 LYDON et al., ESA Pree Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21:92.  LYSLE et al., Modulation of immune status by a conditioned aversive stimulus: evidence for the involvement of endogenous opioids. Brain Behav Immun. 1922 Jun;(2):179-88.  MAGNAN et al., The binding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun;(2):179-88.  MANARA, et al., Adv. Endog. Exog. Opioisk, Porce. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA, et al., Adv. Endog. Exog. Opioisk, Porce. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA et al., The actural and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol. 1982 Jun; (2):179-35.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methodide in the ral. J Pharm Pharmacol. 1982 Jun; (2):179-35.  MISRA et al., Narg. J. Hade., 2002) 346(6), 455  MICHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning sudy in her. at. Brain Res. 18(2):214-20.  MOSS, et al., N. Begl. J. Med., 2002) 346(6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning sudy in her. at. Brain Res. 1987 Aug. 25-48 (8):2214-20.  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A pl	•	C42	rat. J Pharmacol Exp Ther. 1984 May;229(2):481-6.	
C44 Review.  KROMER et al., The current status of opioid research on gastrointestinal motility. Life Sci. 1989;44(9):579-89.  Review.  C46 LEANDER. A kappa opioid effect: increased urination in the rat. J Pharmacol Exp Ther. 1983 Jan;224(1):89-94.  C47 LITTLE, et al., Society for Neuroscience Abstracts, 27 (2): 2001, p. 2407  C48 LIVINGSTON et al., Postoperative ileus. Dig Dis Sci. 1990 Jan;35(1):121-32. Review.  C49 LIVINGSTON et al., ESA Tree Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21:92.  LYSLE et al., Modulation of immune status by a conditioned aversive stimulus: evidence for the involvement of endogenous opioids. Brain Behav Immun. 1992 Jan;6(2):179-88.  MAGNAN et al., The binding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun;3(2):179-205.  MANARA, et al., Adv. Endog. Exog. Opioids, Porce. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA et al., Flave terral and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol 1982 Jun; 4(2):179-205.  MICKLEY et al., Quaternal and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol 1982 Jun; 4(2):179-205.  MISRA et al., Thravemous kinetics and metabolism of [15,16-3H]naltrexonium methodide in the ral. J Pharm Pharmacol. 1982 Jun; 4(2):179-21.  MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MOSS, et al., N. Engl. J. Med., 2(2002) 346(6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A palee conditioning sudy in her at. Brain Res. 1987 Aug 25-34 Bio(2):214-20.  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A palee conditioning sudy in her at. Brain Res. 1987 Aug 25-34 Bio(2):214-20.  MUCHA, Is the motivational effect of opiate withdrawal re		C43		
C45  C46  C47  C48  C48  C49  C49  C49  C49  C49  C49	•	C44		
C46 LEANDER, A kappa opioid effect: increased urination in the rat. J Pharmacol Exp Ther. 1983 Jan;224(1):89-94.  C47 LITTLE, et al., Society for Neuroscience Abstracts, 27 (2); 2001, p. 2407  C48 LIVINGSTON et al., Postoperative Ileus. Dig Dis Sci. 1990 Jan;35(1):121-32. Review.  C49 LYDON et al., ESA Free Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21:92.  LYSLE et al., Modulation of immure status by a conditioned aversive stimusus: evidence for the involvement of endogenous opioids. Brain Behav Immun. 1992 Jun;6(2):179-88.  MAGNAN et al., The inding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun;319(3):197-205.  C52 MANARA, et al., Alv. Endog. Exog. Opioids, Porce. Int. Nar. Res. Conf., 12th (1981), 402-4  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1982;52:249-73. Review.  C53 MICKLEY et al., Quaternary natirexone reverses morphine-induced behaviors. Physiol Behav. 1985  Aug;33(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MOSRA MAR et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acia Anaesthesiol Belg. 1995;46(3-4):127-32.  MOSR, et al., N. Engl. I. Med., (2002) 346 (6), 455  MUCHA, 1ste motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C60 MURPHY et al., Anesthesiology, Spct. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sep;91(A Suppl);A349.  MURPHY et al., Anesthesiology, 1999 Sep;91(A Suppl);A349.  MURPHY et al., Opioid antagonism in obtained or pripheral prism in humans. Ane			KROMER et al., The current status of opioid research on gastrointestinal motility. Life Sci. 1989;44(9):579-89.	
C47 LITTLE, et al., Society for Neuroscience Abstracts, 27 (2); 2001, p. 2407  C48 LIVINGSTON et al., Postoperative ileus. Dig Dis Sci. 1990 Jan.35 (1):121-22. Review.  C49 LYDON et al., ESA Pree Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21-92.  LYDON et al., ESA Pree Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21-92.  LYSLE et al., Modulation of Immune status by a conditioned aversive stimulus: evidence for the involvement of endogenous opioids. Brain Behav Immun. 1922 Jun.(2):179-88.  MAGNAN et al., The binding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun.;3 (2):179-205.  MANARA, et al., Adv. Endog. Exog. Opioids, Porce. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA, et al., Adv. Endog. Exog. Opioids, Porce. Int. Narc. Res. Conf., 12th (1981), 402-4  MANARA et al., Five aterial and peripheral influences of policis on gastrointestinal propulsion. Annu Rev Pharmacol. 1982 Jun.;4 (2):179-28.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MOSS, et al., N. Begl. J. Med., (2002) 346 (6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in her at. Brain Res. 1987 Aug. 25-48 (8)(2):14-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989 45(8):671-8.  C60 MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989 45(8):671-8.  C61 MUCHA Taste aversion involving central opioid antagonism in potentiated in morphine-dependent rats. Life Sci. 1980 45(8):671-8.  C62 MUCHA Taste aversion involving central opioid antagonism				$\dashv$
C49  LYDON et al., ESA Free Paper Prize Competition. Eur J Anaesthesiol. 2001 Apr;18 Suppl 21-92.  LYSLE et al., Modulation of immune status by a conditioned aversive stimulus: evidence for the involvement of endogenous opioids. Brain Behav Immune 1952 Jun;6(2):179-88.  MAGNAN et al., The Inding spectrum of nacrotic analgesic drugs with different agonist and antagonist proporties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun;319(3):197-205.  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1985;225:249-73. Review.  MICKLEY et al., Quaternary naltrexone reverses morphine-induced behaviors. Physiol Behav. 1985  Aug;33(2):229-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharma District of the pharmacol. 1987 Mar;30(2):225-7.  MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomitting and nausea incidences. Acta Anaesthesiol Belg. 1993;46(3)-41;127-32.  C55  MOSS, et al., N. Engl. J. Med., (2002) 346 (6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A phace conditioning study in the rat. Brain Res. 1987 Aug; 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;4(3):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sept. (1999) annual meeting. Dallas, Texas, USA. October 9-13, 1999. Abstracts. Anesthesiology; 1999 Sept. (1993) apply. A349.  MURPHY et al., Apactionate for a central wind are incidenced varied antagonism in humans. Anesthesiology. 1999 Sept. (1993) apply. A349.  MURPHY et al., Aprical optionate and produced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep. (1904) S				
C49 LYSLE et al., Modulation of immune status by a conditioned aversive stimulus: evidence for the involvement of endogenous opioids. Brain Behav Immun. 1992 Jun;6(2):179-88.  MAGNAN et al., The binding spectrum of narcotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1992 Jun;6(2):179-88.  C51 MANARA, et al., Adv. Endoge, Exog. Opioids, Poroc. Int. Narc. Res. 2015;9(1):197-205.  MANARA, et al., Adv. Endoge, Exog. Opioids, Poroc. Int. Narc. Res. 2015;9(1):197-205.  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol 1992 Jun;6(2):197-205.  MICKLEY et al., Quatermary naltrexon reverses morphine-induced behaviors. Physiol Behav. 1985 Aug;35(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MOSS, et al., N. Engl. J. Med., (2002) 34(6), 455  MOSS, et al., N. Engl. J. Med., (2002) 34(6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharesthesiology, 1999 Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sept. (1999), 1910-20-3.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. (1999), 1910-20-3.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. (1999), 1910-20-3.  MURPHY et al., Opioid-induced delay in g		C48		
C50  C51  C52  C53  C54  C55  C55  C55  C55  C55  C55			LYDON et al., ESA Free Paper Prize Competition, Eur J Anaesthesiol, 2001 Apr;18 Suppl 21:92.	
C50 endogenous opioids. Brain Behav Immun. 1992 Juns(Q2):179-88.  MAGNAN et al., The inding spectrum of flar acrotic analgesic drugs with different agonist and antagonist properties. Naunyn Schmiedebergs Arch Pharmacol. 1982 Jun;319(3):197-205.  C52 MANARA, et al., Alv. Endog. Exog. Opioids, Peroc. Int. Narr. Res. Conf. 12th (1981), 402-4  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1985;25:249-73. Review.  MICKLEY et al., Quatermary nalitexone reverses morphine-induced behaviors. Physiol Behav. 1985  Aug;32(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]nalitrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-77.  MOERMAN et al., Evaluation of methythaltrexone for the reduction of postoperative vomitting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-732.  MOSS, et al., N. Engl. I. Med., (2002) 346 (6, 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C60 MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Opional conductive deliversity and proper and proper and proper and proper and proper and proper and properation in the rat. Life Sci. 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Opional conductive deliversity in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(A. Suppl);A349.  MURPHY et al., Opional conductive deliversity in gastric emptying: a peripheral mechanism in humans. Anesthesiolog				$\overline{}$
C51  C52  MANARA, et al., At Endog, Exog. Opioids, Porco. In IA. Nar. Res. Conf. 12th (1981), 402-4  MANARA, et al., At Endog, Exog. Opioids, Porco. In IA. Nar. Res. Conf. 12th (1981), 402-4  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1982;52:249-73. Review.  C54  MICKLEY et al., Quatermary naftrexone reverses morphine-induced behaviors. Physiol Behav. 1985  Aug;33(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-77.  MORMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MOSRA et al., N. Engl. I. Med., (2002) 346 (6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;54(3):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sep.91(A) Suppl.), A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(A) Suppl.), A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(A) Suppl.), A349.  MURPHY et al., Apriachioused delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(A) Suppl.), A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(A) Suppl.), A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1997 Oct;87(4):765-70.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1997 Oct;87(4):765-70.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiolo		C50		- 1
C52 MANARA, et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1985;25:249-73. Review.  MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev Pharmacol Toxicol. 1985;25:249-73. Review.  MICKLEY et al., Quaternay naltrexone reverses morphine-induced behaviors. Physiol Behav. 1985 Aug;35(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MOSEMAN et al., Evaluation of methylmaltrexone for the reduction of postoperative vomitting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  C57 MOSEMAN et al., Evaluation of methylmaltrexone for the reduction of postoperative vomitting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  C58 MUCHA, is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug. 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonists is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C69 MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., American Society of Anesthesiologists 1999 annual meeting. Dallas, Texas, USA. October 9.  10, 1999. Abstracts. Ancestisology, 1999 Sci. 1997;10(3-1997)-A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sci. 1913, 1999. Abstracts. Ancestisology, 1999 Sci. 1914, 1919;10(3), 1917-10(3),		C51		
C53 Pharmacol Toxicol. 1985;25:249-73. Review.  MICKLEY et al., Quaternary naltrexone reverses morphine-induced behaviors. Physiol Behav. 1985 Aug;33(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methodide in the rat. J Pharm Pharmacol. 1987 Mar;39(3):225-7.  MISRA et al., Futuation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MICRA MAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1995;46(3-4):127-32.  MICHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MICHA, Tate aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C60 MURPHY et al., Ansethesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Ansethesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., American Society of Anesthesiologists 1999 annual meeting. Dallas, Texas, USA. October 9.  13, 1999. Abstracts. Ancethesiology, 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91 (3A Suppl)-3A49.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans.		C52		
C54 Aug;33(2):249-53.  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;30(2):225-7.  C55 MOSRAMN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1993-48(3-4):127-32.  C57 MOSR, et al., N. Engl. J. Med., (2002) 346 (6). 455 MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug; 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989/4(8):671-8.  C60 MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract) MURPHY et al., Pharmacolismicate profile of epidurally administered methylnaltrexone, a novel peripheral opioid antagonis in a rabbit model. Br J Anaesth. 2001 Jan;86(1):120-2.  MURPHY et al., Anesthesiology. 1999 Sep.91(2A Suppl):A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Apriadrationed delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(3A Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.91(3A Suppl):13(3):49(3		C53	MANARA et al., The central and peripheral influences of opioids on gastrointestinal propulsion. Annu Rev	
C55  MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm Pharmacol. 1987 Mar;30(2):225-7.  C56  MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1993;46(3)-41;27-32.  C57  MOSS, et al., N. Engl. J. Med., (2002) 346 (6), 455  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25;418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;4(8):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnaltrexone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan;86(1):120-2.  MURPHY et al., Anientesiology. 1999 Sep;91(2A Suppl):A349.  MURPHY et al., Apriant-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91(3A Suppl):A349.  MURPHY et al., Opionical mode of sichaemis-induced ventricular arrhythmias: a peripheral mechanism in humans. Anesthesiology. 1999 Sep;91(3A Suppl):A349.  MURPHY et al., Opionical on the state of the profile of isolation in her at. Life Sci. 1986 May 26;38(2): 1923-30.  MURPHY et al., Opionical on the state of a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2): 1923-30.  OBIO Sci. 1802. Pharmacol Biochem Behav. 1990 Ap;35(4):963-9.  OSINSKI et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetic study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov. 35;78(2):223-19.  Polical et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for		C54	MICKLEY et al., Quaternary naltrexone reverses morphine-induced behaviors. Physiol Behav. 1985	
C56  OGEMAN et al., Evaluation of methylnatiresone for the reduction of postoperative vomiting and nausea incidences. Acta Anaesthesiol Belg. 1993/46(3-1):127-32.  C57  MOSS, et al., N. Engl. J. Med., (2002) 346 (6), 455  MUCHA, is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25/418(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989/48(8):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnatiresone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan;86(1):120-2.  MURPHY et al., Anientesiology in 1999 Sept. 1999 Sept. 1999 annual meeting. Dallas, Texas, USA. October 9-13, 1999, Abstracts. Anesthesiology in 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Apriodic induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. 1916, Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. 1916, Suppl):A349.  C64  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sept. 1916, Suppl):B349.  NARANIO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induce			MISRA et al., Intravenous kinetics and metabolism of [15,16-3H]naltrexonium methiodide in the rat. J Pharm	
C57   MOSS, et al., N. Engl. J. Med., (2002) 346 (6), 455			MOERMAN et al., Evaluation of methylnaltrexone for the reduction of postoperative vomiting and nausea	
C58  MUCHA, Is the motivational effect of opiate withdrawal reflected by common somatic indices of precipitated withdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 253-48(2):214-20.  MUCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989-58(8):671-8.  C60  MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnaltrexone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan;56(1):120-2.  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnaltrexone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan;56(1):120-2.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.9(1)(A Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Sep.9(1)(A Suppl):A349.  MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovase Pharmacol. 1999 Jan;33(1):122-3.  MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovase Pharmacol. 1999 Jan;33(1):122-3.  NARANIO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1923-30.  C60  MUCHA: The septiment of the pripheral opicial exception blocked prolonged pitultary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  C70  C818-C81 et al., Determination of methylanitexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetic study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 35;78(0;2251-9.  C818-C81 et al., Enterphalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;1				
C58 wishdrawal? A place conditioning study in the rat. Brain Res. 1987 Aug 25:418(2):214-20.  MJCHA, Taste aversion involving central opioid antagonism is potentiated in morphine-dependent rats. Life Sci. 1989;45(8):671-8.  C60 MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnalitexone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan,36(1):120-2.  MURPHY et al., Anesthesiology, 1999 Sept. 30(1) p. A349 (Abstract)  MURPHY et al., Anesthesiology, 1999 Sept. 30(1):120-2.  MURPHY et al., Anesthesiology, 1999 Sept. 30(1):120-2.  MURPHY et al., Apried-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology, 1999 Sept. 30(1):120-2.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology, 1999 Sept. 30(1):120-3.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology, 1999 Sept. 30(1):120-3.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology, 1999 Opio. 30(1):120-3.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology, 1999 Opio. 30(1):120-3.  NARANIO et al., Evidence for a central but on adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1923-30.  OBIO et al., Central but net peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biotechem Behav. 1990 Apr;35(4):963-9.  OSINSKI et al., Determination of methylanitexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 25/38(2):221-9.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7(18(8)):972-4.  POLAK et al., Enkephalin-like immunoreac		100.		-
C59 Sci. 1989;45(8):671-8.  C60 MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)  MURPHY et al., Pharmacokinetic profile of epidurally administered methylnalitexone, a novel peripheral opioid antagonist in a rabbit model. Br J Anaesth. 2001 Jan;36(1):120-2.  MURPHY et al., Apricate Society of Ansethsiologists 1999 annual meeting. Dallas, Texas, USA. October 9- 13, 1999. Abstracts. Anesthesiology. 1999 Sep;91(3A Suppl):A349.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Oct;87(4):765-70.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Oct;87(4):765-70.  MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Oct;87(4):765-70.  MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovase Pharmacol. 1999 Ian;33(1):122-5.  NARANIO et al., Evidence for a central but on adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1):1923-30.  OSIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  OSINSKI et al., Determination of methylanlirexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 25;78(2):221-9.  Eq. (2004 Nov. 1826/3 Suppl):118-188. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.		C58		
MURPHY et al., Pharmacokinetic profile of epidurally administered methylnaltrexone, a novel peripheral opioid anatagonist in a rabbit model. Br I Anseath. 2001 Jan.;26(1):120-2.   MURPHY et al., American Society of Anesthesiologists 1999 annual meeting. Dallas, Texas, USA. October 9-13, 1999. Abstracts. Anesthesiology. 1999 Sep;91(20 Asuppl):A349.   MURPHY et al., Opioid induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1999 Toct;87(4):765-70.   MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovase Pharmacol. 1999 Jan;33(1):122-5.   MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovase Pharmacol. 1999 Jan;33(1):122-5.   NARANJO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1):192-3-30.   OBIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Bioschem Behav. 1990 Ap;13(4):953-9.   OSINSKI et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 New 35;78(2):221-9.   Cell Sci. 2002 New 35;78(2):221-9.   PAPPAGALLO, incidence, prevalence, and management of opioid bowel dysfunction. Am J Surg. 2001 Nov;182(5):403-404.   POLIAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;1(8019):972-4.		C59		
C61 antagonist in a rabbit model. Br J Anaesth. 2001 Jan.36(1):120-2.  MURPH vt atl., American Society of Ansethsologists 1999 annual meeting. Dallas, Texas, USA. October 9.  13, 1999. Abstracts. Ancesthesiology. 1999 Sep.91(3A Suppl);A349.  MURPH vt atl., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology.  1997 Oct;87(4):765-70.  MURPH vt atl., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology.  1997 Oct;87(4):765-70.  MURPH vt atl., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovasc Pharmacol. 1999 Jan.33(1):122-5.  NARANIO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(21):1923-30.  C60 NETICAL and Control and peripheral opitate receptor blockade prolonged plutitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  C51 SNEX et al., Determination of methylamitexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 35;78(0;235-19.  C69 Nov 1526/S Suppl): 118-158. Review.  POLAK et al., Enkephalin-ilike immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Expt Ther. 2002 Feb;300(2):583-96.		C60	MURPHY et al., Anesthesiology, Sept. (1999), 91 (3A) p. A349 (Abstract)	
MURPHY et al., American Society of Anesthesiologists 1999 annual meeting. Dallas, Texas, USA. October 9- 13, 1999. Abstracts. Anestesiology. 1995 eps. 91 (AS suppl):A349.		C61		
MURPHY et al., Opioid-induced delay in gastric emptying: a peripheral mechanism in humans. Anesthesiology. 1997 Oct.87(4):765-70.  C64  MURPHY et al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovasc Pharmacol. 1999 Ian;33(1):122-5.  NARANIO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1923-30.  C66  NELSON, Phistractury Arbanest International, (2602-9-9). p. 4635 (Abstanct)  ODIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biotechen Behav. 1990 Ap;35(4):693-9.  OSINSKI et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogra B Analyt Technol Biomed Life Sci. 2002 Nov 25;780(2):251-9.  PAPPAGALLO, incidence, prevalence, and management of opioid bowel dysfunction. Am J Surg. 2001  Nov 1825/A Suppl):118-18S. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(81):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.				
C63 1997 Oct;87(4):765-70.  MURPH Vet al., Opioid antagonist modulation of ischaemia-induced ventricular arrhythmias: a peripheral mechanism. J Cardiovasc Pharmacol. 1999 Jan;33(1):122-5.  NARANIO et al., Evidence for a central but not adrenal, opioid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1923-30.  C66 NELSON: Dissertation Meanages international, (68/03-9b), p-1635 (Meshaet)  ODIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  OSINSKI et al., Determination of methylanitexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetic study. J Chromatogr B Analyt Technol Biomed Life Sci. 2007 Nov 25;78(2):251-9.  C89 Nov 1826/A Suppl):115-18S. Review.  POLAK et al., Enkephalin-ilike immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.		C62		
C64 mechanism. J Cardiovase Pharmacol. 1999 Jan.33(1):122-5.  NARAND ct al., Evidence for a central but not adrenal, optoid mediation in hypertension induced by brief isolation in the rat. Life Sci. 1986 May 26;38(2):1923-30.  C66 NELSON, Pistacrutinn Adottaxes International, (2692-90), p. 1635 (Abstanct).  ODIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  OSINSKI et al., Determination of methylamitexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetic study. J Chromatogr B Analyt Technol Biomed Life Sci. 2007 Nov 25;780(2):251-9.  C69 Nov 1826/A Suppl): 115-185. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.		C63_	1997 Oct;87(4):765-70.	
C65 isolation in the rat. Life Sci. 1986 May 26;38(2).1) (23-3.0.  C66 NELESON, Phiszendran Arbanesar harmational, (26/20-36). p. 7635 (Abstunct)  C67 DDIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 Apr;36(4)(63-1).  C68 NE Local Commission of methylanitrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetic study. J Chromatogr B Analyt Technol Biomed Life Sci. 2007. Nov 25;78(2):251-99.  C69 New 25;78(2):251-99.  C70 Nov 1826/3 Suppl):115:18S. Review.  C70 POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8)):972-4.  C71 POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.		C64		
C67  ODIO et al., Central but not peripheral opiate receptor blockade prolonged pituitary-adrenal responses to stress. Pharmacol Biochem Behav. 1990 App:136/1963-9.  OSINSKI et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 New 25;780(2):251-99.  PAPPAGALLO, incidence, predicence, and management of opioid bowel dysfunction. Am J Surg. 2001 Nov:1826/S suppl):118-188. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;18(8)):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):583-96.		C65	isolation in the rat. Life Sci. 1986 May 26;38(21):1923-30.	
C67 Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.  OSINSKI et al., Determination of methylnaltrexone in clinical samples by solid-phase extraction and high-performance liquid chromatography for a pharmacokinctics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 25;780(2):251-9.  PAPPAGALLO, Incidence, prevalence, and management of opioid bowel dysfunction. Am J Surg. 2001 Nov;182(5A Suppl):11S-18S. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7:1(8019):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.		C00		
performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life Sci. 2002 Nov 25;780(2):251-9.  PAPPAGALLO, Incidence, prevalence, and management of opioid bowel dysfunction. Am J Surg. 2001 Nov;182(5A Suppl):11S-18S. Review.  POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7;1(8019):972-4.  POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.		C67	Pharmacol Biochem Behav. 1990 Apr;35(4):963-9.	
PAPPAGALLO, Incidence, prevalence, and management of opioid bowel dysfunction. Am J Surg. 2001 Nov;182(5A Suppl): ILS-18S. Review. POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May C70 7;1(8019):972-4. POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.			performance liquid chromatography for a pharmacokinetics study. J Chromatogr B Analyt Technol Biomed Life	
C69   Nov; 182/5A Suppl): 11.5-18S. Review.   POLAK et al., Enkephalin-like immunoreactivity in the human gastrointestinal tract. Lancet. 1977 May 7.1(8019):972-4.   POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb; 300(2):588-96.		C68		$\dashv$
C70 7;1(8019):972-4. POWELL et al., Paradoxical effects of the opioid antagonist naltrexone on morphine analgesia, tolerance, and reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.		C69	Nov;182(5A Suppl):11S-18S. Review.	
C71 reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.		C70	7;1(8019):972-4.	
C72 QUOCK, et al, J. Bioelectr. (1986), 5(1), 35-46			reward in rats. J Pharmacol Exp Ther. 2002 Feb;300(2):588-96.	
		C72	QUOCK, et al, J. Bioelectr. (1986), 5(1), 35-46	

FORM PT	O-1449/A and B (M	fodifie	i)	APPLICATION NO.:	10/821,811	ATTY. DOCKET NO.: P0453.70115US01
	RMATION I			FILING DATE:	April 8, 2004	CONFIRMATION NO.: Not Yet Assigned
STA	FEMENT BY	APP	LICANT	APPLICANT:	Sanghvi et al.	
				GROUP ART UNIT:	Not Vet Assigned	EXAMINER: Not Yet Assigned
Sheet	5	of	6	ONCO AKI ONI.	110. 10. 133igileu	Dig Limitals. 110. 10. 10. 10. 10.

	QUOCK et al., Narcotic antagonist-induced hypotension in the spontaneously hypertensive rat. Life Sci. 1985	
 C73	Sep 2;37(9):819-26.	_
	QUOCK et al., Narcotic antagonist potentiation of apomorphine drug effect: a stereospecific, centrally mediated	
 C74	drug action. Prog Neuropsychopharmacol Biol Psychiatry. 1985;9(3):239-43.	
C75	RAMABADRAN, Effects of N-methylnaloxone and N-methylnaltrexone on nociception and precipitated	
 U/3	abstinence in mice. Life Sci. 1982 Sep 20-27;31(12-13):1253-6.  RIVIÈRE et al., Fedotozine reverses ileus induced by surgery or peritonitis: action at peripheral kappa-opioid	-
C76	receptors. Gastroenterology. 1993 Mar;104(3):724-31.	-
 C77	ROBINSON et al., Oral naloxone in opioid-associated constipation. Lancet. 1991 Aug 31;338(8766):581-2.	
 CII	ROGER et al., Colonic motor responses in the pony: relevance of colonic stimulation by opiate antagonists. Am	
C78	J Vet Res. 1985 Jan;46(1):31-5.	
	RUSSELL et al., Antagonism of gut, but not central effects of morphine with quaternary narcotic antagonists.	$\neg$
C79	Eur J Pharmacol. 1982 Mar 12;78(3):255-61.	
	SCHAEFER et al., Effects of opioid antagonists and their quaternary derivatives on locomotor activity and fixed	1
C80	ratio responding for brain self-stimulation in rats. Pharmacol Biochem Behav. 1985 Nov;23(5):797-802.	
	SCHANG et al., Beneficial effects of naloxone in a patient with intestinal pseudoobstruction. Am J	
C81	Gastroenterol. 1985 Jun;80(6):407-11.	
1	SCHANG et al., How does morphine work on colonic motility? An electromyographic study in the human left	
 C82	and sigmoid colon. Life Sci. 1986 Feb 24;38(8):671-6.	_
	SCHILLER et al., Studies of the mechanism of the antidiarrheal effect of codeine. J Clin Invest. 1982	
C83	Nov;70(5):999-1008.	
C84	SCHMIDHAMMER, et al., Helv. Chim. Acta (1994), Vol. 77, No. 6, p. 1585-9	
C85	SCHMIDHAMMER, et al., Helv. Chim. Acta. (1993) No. 1, p. 476-80	
C86	SCHOLZ, 2000, 63 (6) p. 103	
	SCHREIER et al., Central regulation of intestinal function: morphine withdrawal diarrhea. Proc West Pharmacol	- 1
 C87	Soc. 1982;25:151-4.	
	SOLVASON et al., Naltrexone blocks the expression of the conditioned elevation of natural killer cell activity in	1
 C88	BALB/c mice. Brain Behav Immun. 1989 Sep;3(3):247-62.	
C89	SWAN, et al., AIDS Research, NIDA Notes, (1995), 10(3), 1-6	
 C90	SYKES, Oral naloxone in opioid-associated constipation. Lancet. 1991 Jun 15;337(8755):1475.	
	TAGUCHI et al., Selective postoperative inhibition of gastrointestinal opioid receptors. N Engl J Med. 2001 Sep	
 C91	27;345(13):935-40.	
	THOMPSON et al., Opioid stimulation in the ventral tegmental area facilitates the onset of maternal behavior in	
C92	rats. Brain Res. 1996 Dec 16;743(1-2):184-201.	_
	UKAI et al., Suppression of deprivation-induced water intake in the rat by opioid antagonists: central sites of	
 C93	action. Psychopharmacology (Berl). 1987;91(3):279-84.	
004	VALENTINO et al., Quaternary naltrexone: evidence for the central mediation of discriminative stimulus effects	
 C94	of narcotic agonists and antagonists. J Pharmacol Exp Ther. 1981 Jun;217(3):652-9.  VALENTINO et al., Receptor binding, antagonist, and withdrawal precipitating properties of opiate antagonists.	
C95		
	Life Sci. 1983 Jun 20;32(25):2887-96.  WALKER, et al., Psychopharmacology (1991), 104(2), p. 164-6	-
 C96	WALKER, et al., rsychopharmacology (1991), 104(2), p. 104-0  WARREN et al., Effects of quaternary naltrexone and chlordiazepoxide in squirrel monkeys with enhanced	
C97	sensitivity to the behavioral effects of naltrexone. J Pharmacol Exp Ther. 1985 Nov;235(2):412-7.	
 C97	WILLETTE, et al., Res. Commun. Subst. Abuse (1983), 4(4), 325-37	-+-
		-+-
 C99	YUAN et al., Drug Dev. Res. (2000) 50(2), 133-141	-
C100	YUAN et al., Gastric effects of methylnaltrexone on mu, kappa, and delta opioid agonists induced brainstem	
	unitary responses. Neuropharmacology. 1999 Mar;38(3):425-32.	+
 C101	YUAN et al., Anesthesiology, Sept. (1995), 83 (3A), p A358 (Abstract)	+
 C102	YUAN et al., Anesthesiology, Sept. (1995), 83 (3A), p A360 (Abstract)	
 C103	YUAN et al., Anesthesiology, Sept. (1999), 91 (3A) p. A973 (Abstract)	
0404	YUAN et al., Effects of enteric-coated methylnaltrexone in preventing opioid-induced delay in oral-cecal transit	
 C104	time. Clin Pharmacol Ther. 2000 Apr;67(4):398-404.	-+
C105	YUAN et al., The safety and efficacy of oral methylnaltrexone in preventing morphine-induced delay in oral-	
	cecal transit time. Clin Pharmacol Ther. 1997 Apr;61(4):467-75.  RENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /D.J./ (09/21/2008)	

FORM PTO-1449/A and B (Modified)	APPLICATION NO.: 10/821,811		ATTY. DOCKET NO.: P0453.70115US01
INFORMATION DISCLOSURE	FILING DATE: Ap	oril 8, 2004	CONFIRMATION NO.: Not Yet Assigned
'STATEMENT BY APPLICANT	APPLICANT: Sanghvi et al.		
Sheet 6 of 6	GROUP ART UNIT: No	ot Yet Assigned	EXAMINER: Not Yet Assigned

	C106	YUAN et al., Methylnaltrexone prevents morphine-induced delay in oral-cecal transit time without affecting analgesia: a double-blind randomized placebo-controlled trial. Clin Pharmacol Ther. 1996 Apr;59(4):469-75.	
	C107	YUAN, et al., Clinical Pharmacology & Therapeutics (1995) 57(2), p. 138	
•	C108	YUAN et al., Efficacy of orally administered methylnaltrexone in decreasing subjective effects after intravenous morphine. Drug Alcohol Depend. 1998 Oct 1;52(2):161-5.	
	C109	YUAN et al., Effects of methylnaltrexone on morphine-induced inhibition of contraction in isolated guinea-pig ileum and human intestine. Eur J Pharmacol. 1995 Mar 24;276(1-2):107-11.	
	C110	YUAN et al., Effects of subcutaneous methylnaltrexone on morphine-induced peripherally mediated side effects: a double-blind randomized placebo-controlled trial. J Pharmacol Exp Ther. 2002 Jan;300(1):118-23.	
	C111	YUAN et al., Oral methylnaltrexone for opioid-induced constipation. JAMA. 2000 Sep 20;284(11):1383-4.	
	C112	YUAN et al., Methylnaltrexone for reversal of constipation due to chronic methadone use: a randomized controlled trial. JAMA. 2000 Jan 19;283(3):367-72.	
	C113	YUAN et al., Effects of intravenous methylnaltrexone on opioid-induced gut motility and transit time changes in subjects receiving chronic methadone therapy: a pilot study. Pain. 1999 Dec;83(3):631-5.	
	C114	YUAN et al., Effects of methylnaltrexone on chronic opioid induced gut motility and transit time changes. Br J Anaesth. 1998;81(1):94.	
		YUAN et al., Effects of methylnaltrexone on chronic opioid-induced gut motility and transit time changes.  University of Leicester – Abstracts from the Eighth International Symposium on Pain, Anaesthesia and	
	C115	Endocrinology. 1997 September 18-19th.	
	C116	[No Author Listed] Oncology. 1996;10(12):1880.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /D.J./ (09/21/2008)

EXAMINER	/Donna Jagoe/	(9/21/2008)	DATE CONSIDERED
	, some ougos,	(5,,, -,	

#EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

\*a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, Serial No. \_\_, filed \_\_, and relied upon for an earlier filling date under 35 U.S.C. 120 (continuation, continuation-in-part, and divisional applications).

[NOTE - Must provide a copy of any patent, publication, other information listed, even if it was previously submitted to, or cited by, the U.S. Patent Office in an earlier application, unless the earlier application is identified by the IDS and is relied upon for an earlier filling date under 35 U.S.C. §120, and the copy was provided in the earlier application.]